

Serial No. 10/660,123  
Amendment dated June 1, 2006  
Reply to Office Action of December 1, 2005

Page 2

**IN THE CLAIMS:**

The claims as currently presented and under consideration, are presented below for the Examiner's convenience and to comply with 37 CFR §1.121. This listing of claims will replace all prior versions, and listings, of claims in the application:

1-14. (Cancelled)

15. (Currently Amended) A method for producing a protein[[s]] of interest comprising providing a host cell with an inducing feed composition wherein said inducing feed composition is produced by a method comprising the steps of:

- a) Mixing a concentrated glucose solution comprising between about 5% to about 75% glucose with a cellulase preparation selected from the group consisting of a whole cellulase composition or beta-glucosidase enriched cellulase composition to give a first mixture; and
- b) Incubating the first mixture at a temperature and for a sufficient time to produce the inducing feed composition[[.]]

wherein the inducing feed composition comprises a sugar mixture containing glucose and appreciable quantities of an inducer of cellulase gene expression.

16. (Original) The method of claim 15 wherein the protein produced is an endogenous cellulase.

17. (Original) The method of claim 15 wherein the host cell has been transformed with an expression construct comprising a promoter operably linked to a gene encoding a protein of interest.

18. (Original) The method of claim 17 wherein the promoter is an inducible promoter.

19. (Original) The method of claim 17 wherein the promoter is a cellulase gene promoter.

20. (Original) The method of claim 19 wherein the promoter is the *cbh 1* promoter from GC774-2 ROA

Serial No. 10/660,123  
Amendment dated June 1, 2006  
Reply to Office Action of December 1, 2005

Page 3

*Trichoderma reesei*.

21. (Original) The method of claim 18 wherein the inducible promoter is a sophorose-inducible promoter.

22. (Original) The method of claim 18 wherein the inducible promoter is a gentiobiose-inducible promoter.

23. (Original) The method of claim 17 wherein the protein of interest is a heterologous protein.

24. (Original) The method of claim 23 wherein the heterologous protein is selected from the group consisting of hormones, enzymes, growth factors, cytokines, and antibodies.

25. (Original) The method of claim 15 wherein the host cell is a filamentous fungus.

26. (Original) The method of claim 25 wherein the fungus is selected from the group consisting of *Trichoderma*, *Humicola*, *Fusarium*, *Aspergillus*, *Neurospora*, *Penicillium*, *Cephalosporium*, *Achlya*, *Podospora*, *Endothia*, *Mucor*, *Cochliobolus* and *Pyricularia*.

27. (Original) The method of claim 26 wherein the fungus is *Trichoderma* spp.

28. (Original) The method of claim 27 wherein the fungus is *Trichoderma reesei*.

29. (Original) The method of claim 26 wherein the fungus is *Penicillium* spp.

30. (Original) The method of claim 29 wherein the fungus is *Penicillium funiculosum*.

31. (Original) The method of claim 15 wherein the host cell is a bacteria.

32. (Original) The method of claim 31 wherein the bacteria is selected from the group consisting of *Streptomyces*, *Thermomonospora*, *Bacillus*, and *Cellulomonas*.  
GC774-2 ROA

Serial No. 10/660,123  
Amendment dated June 1, 2006  
Reply to Office Action of December 1, 2005

Page 4

33. (Cancelled)

34. (Previously Presented) The method of claim 15 wherein the cellulase preparation is a whole cellulase composition.

35. (Previously Presented) The method of claim 15 wherein the cellulase preparation is a beta-glucosidase enriched cellulase composition

36. (New) The method of claim 15 wherein the cellulase preparation is provided at a concentration from about 0.5g/L to about 50g/L total protein.

37. (New) The method of claim 15 wherein the glucose is incubated with the cellulase composition at about 50°C to about 70°C.

38. (New) The method of claim 37 where in the glucose is incubated with the cellulase composition for between 8 hours and 7 days.

39. (New) The method of claim 15 wherein the inducer of cellulase gene expression is gentibiose.

40. (New) The method of claim 15 wherein the inducer of cellulase gene expression is sophorose.

GC774-2 ROA